

CONTENTS TO VOLUME 121

Review Letter

- Histone synthesis during the development of *Xenopus*, H. R. Woodland 1

Research Letters

- β -Lactamase action: Isolation of an active-site serine peptide from the *Pseudomonas* enzyme and a penicillin, V. Knott-Hunziker, K. Redhead, S. Petursson, S. G. Waley 8
- Clustering of gangliosides in phospholipid bilayers, M. Delmelle, S. P. Dufrane, R. Brasseur, J. M. Ruysschaert 11
- A sodium-calcium exchange mechanism in plasma membrane vesicles isolated from ram sperm flagella, M. P. Bradley, I. T. Forrester 15
- The mitochondrial handling of D,L-thiocarnitine and its S-acetyl derivative, L. Ferri, P. C. Jocelyn, N. Siliprandi 19
- Increased 4-enoyl-CoA reductase activity in liver mitochondria of rats fed high-fat diets and its effect on fatty acid oxidation and the inhibitory action of pent-4-enoate, B. Borrebaek, H. Osmundsen, E. N. Christiansen, J. Bremer 23
- On the occurrence of prostacyclin metabolites in plasma and vascular tissue as determined radioimmunologically, B. M. Peskar, H. Weiler, P. Schmidberger, B. A. Peskar 25
- Changes in the activities of S-adenosylmethionine synthetase isozymes from rat liver on ethionine administration, T. Abe, H. Yamano, H. Teraoka, K. Tsukada 29
- Stability of N-acyl groups of neuraminic acid residues in 2-8-linked polymers toward methanolysis used in methylation analysis, S. Inoue, G. Matsumura 33
- Inhibition of acetylcholinesterase by 3-methoxy catecholamine derivatives, E. Martínez de Melián, R. N. Fariás 37
- Crystallisation and preliminary crystallographic data of a porcine neurophysin I-Tyr-Phe-NH₂ complex, J. E. Pitts, S. P. Wood, L. Hearn, I. J. Tickle, C. W. Wu, T. L. Blundell, I. C. A. F. Robinson 41
- Inhibition of thyrotropin-stimulated cyclic AMP accumulation by human thyroglobulin in human cultured thyroid cells, S. Aterini, C. M. Rotella, A. Tanini, R. Zonefrati, R. S. Toccafondi 44
- Different cell surface glycoproteins are involved in cell-cell and cell-collagen adhesion of rat hepatocytes, C. Ocklind, K. Rubin, B. Öbrink 47
- Identification of a new disulphide bonded collagen from cartilage, M. Shimokomaki, V. C. Duanice, A. J. Bailey 51
- G-Actin binding quenches internal motions in myosin subfragment-1, S. Highsmith, O. Jardetzky 55
- The complexation of zinc in intact human erythrocytes studied by ¹H spin-echo NMR, D. L. Rabenstein, A. A. Isab 61
- Structure elucidation of oligomannoside-type asparagine-bound carbohydrate chains of glycoproteins by 500 MHz ¹H NMR spectroscopy, H. van Halbeek, L. Dorland, G. A. Veldink, J. F. G. Vliegthart, J.-C. Michalski, J. Montreuil, G. Strecker, W. E. Hull 65
- A 500 MHz ¹H NMR study of urinary oligosaccharides from patients with mannosidosis, H. van Halbeek, L. Dorland, G. A. Veldink, J. F. G. Vliegthart, G. Strecker, J.-C. Michalski, J. Montreuil, W. E. Hull 71
- EPR spectroscopic observations of a manganese center associated with water oxidation in spinach chloroplasts, G. C. Dismukes, Y. Siderer 78

Two groups of deoxyribonucleic acid polymerases from <i>Physarum polycephalum</i> classified by differential sensitivity to <i>N</i> -ethylmaleimide, heparin, cytosine arabinoside triphosphate and ethidium bromide: Evidence for a β -like activity, <i>W. Schiebel, A. Raffael</i>	81
The pK_a and diminished relative reactivity of the α -amino group of phenylalanyl-tRNA from <i>Escherichia coli</i> , <i>B. Kraal, G. W. M. Swart</i>	86
RNA-dependent RNA polymerase from healthy tomato leaf tissue, <i>F. Boege, H. L. Sanger</i>	91
Topography of RNA in the ribosome: Location of the 3'-end of 5 S RNA on the central protuberance of the 50 S subunit, <i>I. N. Shatsky, A. G. Evstafieva, T. F. Bystrova, A. A. Bogdanov, V. D. Vasiliev</i>	97
Specific compact selfpacking of the ribosomal 23 S RNA, <i>V. D. Vasiliev, O. M. Zalite</i>	101
Amino acid sequence of protein L22 from the large subunit of the <i>Escherichia coli</i> ribosomes, <i>B. Wittmann-Liebold, B. Greuer</i>	105
The primary structure of protein S10 from the small ribosomal subunit of <i>Escherichia coli</i> , <i>M. Yaguchi, C. Roy, H. G. Wittmann</i>	113
Primary structure of protein S11 from <i>Escherichia coli</i> ribosomes, <i>R. Kamp, B. Wittmann-Liebold</i>	117
Localisation of a high affinity binding site for coat protein on the 3'-terminal part of RNA 4 of alfalfa mosaic virus, <i>K. Stoker, E. C. Koper-Zwarthoff, J. F. Bol, E. M. J. Jaspars</i>	123
Location of a phage binding protein on an outer membrane protein, <i>M. Roa, J. M. Clement</i>	127
Hydrogen-exchange study of a nucleosome, <i>Y. Mitane, M. Nakanishi, M. Tsuboi, T. Kohwi-Shigematsu, T. Enomoto, M. Yamada</i>	130
Differentiation of solubilized dopamine receptors from spirodecane binding sites in rat striatum, <i>H. Gorissen, B. Ilien, G. Aerts, P. Laduron</i>	133
Selective inhibition of a cyclic nucleotide-independent protein kinase (G-type casein kinase) by naturally occurring glycosaminoglycans, <i>J. J. Feige, F. Pirollet, C. Cochet, E. M. Chambaz</i>	139
Calcium-dependent adsorption and desorption of phosphorylase kinase on membrane fractions of sarcoplasmic reticulum, <i>H. P. Jennissen, P. Lahr</i>	143
In vitro 25-hydroxylation of $1\alpha, 24$ -dihydroxyvitamin D_3 in various rat tissues, <i>S. Ishizuka, K. Bannai, T. Naruchi, Y. Hashimoto, T. Noguchi</i>	149
Cystic fibrosis: Depressed α -fucosidase activity in cultured lymphoblasts, <i>T. Maler, M. Duthie, J. R. Riordan</i>	153
Heterogeneity of mouse interleukins, <i>O. Henriksen, V. L. Alvarez, M. Barnes, H. Bachtold, J. R. Frey, E. Hansson, S. Howie, I. Lefkovits, C. A. Roitsch, A. Soderberg, P. Young</i>	157
The apparent production of superoxide and hydroxyl radicals by hematoporphyrin and light as seen by spin-trapping, <i>G. R. Buettner, L. W. Oberley</i>	161
Formation of putrescine and acetylspermidine from spermidine by cultured human lymphocytes, <i>J. Faber, M. Menashe, U. Bachrach, H. Desser</i>	165
Presence of tailed, asymmetric forms of acetylcholinesterase in the central nervous system of vertebrates, <i>F. Rieger, R. Chetelat, M. Nicolet, L. Kamal, M. Pouillet</i>	169
Actin filament disassembly in blood plasma, <i>H. E. Harris, J. R. Bamburg, A. G. Weeds</i>	175
Partial purification and characterization of an actin depolymerizing factor from brain, <i>J. R. Bamburg, H. E. Harris, A. G. Weeds</i>	178
Isolation and characterization of nuclear envelope fragments from <i>Dictyostelium</i> , <i>R. Widmer, R. W. Parish</i>	183

FEBS News

14th FEBS Meeting, Edinburgh, 1981	188
FEBS Advanced Courses 68, 74-78	192

Research Letters

Nucleic acid sequence similarities: 'Poly(A) tendency', <i>R. Grantham</i>	193
<i>AQU</i> I: A more easily purified isoschizomer of <i>AVA</i> I, <i>R. H. Lau, W. F. Doolittle</i>	200
Inhibition of polypeptide synthesis by a factor isolated from ribosomes of resting human lymphocytes: Studies on the mechanism of action, <i>M. Ferrer, O. R. Burrone, I. D. Algranati</i>	203
Successful separation of the transcriptionally-active chromatin fraction from pigeon reticulocytes and calf thymus, <i>A. I. Lishanskaya</i>	207
³¹ P NMR spectra of thiophosphate analogues of guanosine nucleotides: pH dependence of chemical shifts and coupling constants, <i>P. Rösch, H. R. Kalbitzer, R. S. Goody</i>	211
Cell-free synthesis of human Cu/Zn-superoxide dismutase, <i>J. V. Bannister, H. A. O. Hill, W. H. Bannister</i>	215
Reactive oxygen species: Electron donor-hydrogen peroxide complex instead of free OH ⁻ radicals?, <i>E. F. Elstner, W. Osswald, J. R. Konze</i>	219
Effects of CO ₂ -depletion on proton uptake and release in thylakoid membranes, <i>R. Khanna, R. Wagner, W. Junge, Govindjee</i>	222
Properties and localization of a cAMP-independent protein kinase (casein kinase) isolated from yeast mitochondria, <i>M. P. Rigobello, G. Carignani, L. A. Pinna</i>	225
Discrimination between the <i>N</i> -ethylmaleimide mersalyl-sensitive protein(s) and the nucleotide translocator in pig heart mitochondria, <i>S. Touraille, Y. Briand, S. Alziari, R. Durand</i>	230
The dependence for reactivation of lipid-depleted Ca ²⁺ -ATPase of sarcoplasmic reticulum by non-ionic detergents on their hydrophile/lipophile balance, <i>V. I. Melgunov, E. I. Akimova</i>	235
Preparation of polyethylene glycol-bound NAD and its application in a model enzyme reactor, <i>S. Furukawa, N. Katayama, T. Iizuka, I. Urabe, H. Okada</i>	239
Regulatory light chains of myosin from the obliquely-striated body wall muscle of <i>Lumbricus terrestris</i> , <i>J. D'Haese</i>	243
The interaction of B29-fluoresceinthiocarbamyl-insulin with adipocyte membranes, <i>I. A. Bailey, C. J. Garratt, G. R. Penzer, D. S. Smith</i>	246
Glucocorticoid receptor-mediated stimulation of 5'-nucleotidase in human lymphoblastoid IM-9 cells, <i>G. G. Rousseau, P. Cambron, A. Amar-Costesec</i>	249
The use of ANS fluorescence as a probe for immunoglobulin flexibility, <i>S. B. Easterbrook-Smith, R. A. Dwek</i>	253
Dopaminergic control of TSH secretion in isolated rat pituitary cells, <i>S. M. Foord, J. Peters, M. P. Scanlon, B. Rees Smith, R. Hall</i>	257
Exploration of the role of sodium in the α -adrenergic regulation of hepatic glycogenolysis, <i>B. P. Hughes, P. F. Blackmore, J. H. Exton</i>	260
An in vitro system to study the action potential sodium channel, <i>G. Ponzio, Y. Jacques, C. Frelin, R. Chicheportiche, M. Lazdunski</i>	265
Conversion of benzo[a]pyrene-3,6-quinone to quinol glucuronides with rat liver microsomes or purified NADPH-cytochrome <i>c</i> reductase and UDP-glucuronosyltransferase, <i>K. W. Bock, W. Lilienblum, H. Pfeil</i>	269
Phylogenetic diversity of troponin subunit C amino acid composition, <i>W. Lehman, M. Ferrell</i>	273
A thiol-ester in α_2 -macroglobulin cleaved during proteinase complex formation, <i>L. Sottrup-Jensen, T. E. Petersen, S. Magnusson</i>	275
The protective role of pyruvate against heat inactivation of <i>N</i> -acetylneuraminatase, <i>F. N. Kolisis, T. G. Sotioudis, A. E. Evangelopoulos</i>	280
Glycosylation is not necessary for the secretion of exo-1,3- β -D-glucanase by <i>Saccharomyces cerevisiae</i> protoplasts, <i>A. Sánchez, G. Larriba, J. R. Villanueva, T. G. Villa</i>	283
Inhibitory activity of sinefungin and SIBA (5'-deoxy-5'- <i>S</i> -isobutylthioadenosine) on the growth of promastigotes and amastigotes of different species of <i>Leishmania</i> , <i>U. Bachrach, L. F. Schnur, J. El-On, C. L. Greenblatt, E. Pearlman, M. Robert-Gero, E. Lederer</i>	287

Inhibition of Semliki Forest and herpes simplex virus production in α -di-fluoro-methylornithine-treated cells. Reversal by polyamines, <i>K. Tuomi, R. Mäntyjärvi, A. Raina</i>	292
Gene expression of erythrocyte receptor: Regulation of erythrocyte-receptor synthesis in T-lymphocytes, <i>M. R. Sharpe, A. Askar, B. S. Baliga, R. D. A. Peterson</i>	295
Template-engaged and free RNA polymerase activities in rat liver nuclei after cortisone injection, <i>I. M. Konstantinova, F. Hanocq, V. I. Vorob'ev</i>	299
Changes in monoamine oxidase activity associated with the uncoupling of rat liver mitochondria, <i>G. S. Smith</i>	303
Direct evidence for the inactivation of branched-chain oxo-acid dehydrogenase by enzyme phosphorylation, <i>R. Odessey</i>	306
Direct effects of 1,3-diaminopropane on reticulocyte lysate protein synthesis, <i>J. E. Kay, C. R. Benzie</i>	309
Protein—chemical studies on <i>Escherichia coli</i> mutants with altered ribosomal proteins S6 and S7, <i>B. Kade, E. R. Dabbs, B. Wittman-Liebold</i>	313
The primary structure of protein L4 from the large subunit of the <i>Escherichia coli</i> ribosome, <i>M. Kimura, B. Wittmann-Liebold</i>	317
The primary structure of protein BL17 isolated from the large subunit of the <i>Bacillus stearothermophilus</i> ribosome, <i>M. Kimura, J. Dijk, I. Heiland</i>	323
Light and heavy forms of the acetylcholine receptor from <i>Torpedo marmorata</i> electric organ: Morphological identification using reconstituted vesicles, <i>J. Cartaud, J.-L. Popot, J.-P. Changeux</i>	327
Evidence for mesangial glomerular receptors for angiotensin II linked to mesangial cell contractility, <i>J. Foidart, J. Sraer, F. Delarue, P. Mahieu, R. Ardaillou</i>	333
Protein kinase II has two distinct binding sites for cyclic AMP, only one of which is detectable by the conventional membrane-filtration method, <i>D. Øgreid, S. O. Døskeland</i>	340
Conversion of $3\alpha,7\alpha,12\alpha$ -trihydroxy- 5β -cholestanoic acid into cholic acid by rat liver peroxisomes, <i>J. I. Pedersen, J. Gustafsson</i>	345
A possible role for Ca^{2+} in thyroid hormone-dependent oxygen consumption in skeletal muscle of the rat, <i>C. van Hardeveld, A. A. H. Kassenaar</i>	349
Production of superoxide anion by an NADPH-oxidase from rat pulmonary macrophages, <i>M. Hoffman, A. P. Autor</i>	352
EPR detection of the primary photochemistry of photosystem II in a barley mutant lacking photosystem I activity, <i>J. H. A. Nugent, B. L. Möller, M. C. W. Evans</i>	355
In vitro biosynthesis and processing of composite common precursors containing amino acid sequences identified immunologically as neurophysin I/oxytocin and as neurophysin II/arginine vasopressin, <i>H. Schmale, D. Richter</i>	358
Cation translocating effects of alamethicin and its synthetic fragments in lipid membranes. Influence of peptide chain length and charge, <i>R. Nagaraj, M. K. Mathew, P. Balaram</i>	363
Effect of luteinizing hormone-releasing hormone upon insulin release from rat islets in vitro, <i>M. Klier, V. Schusdziarra, E. F. Pfeiffer</i>	365
Three trypsinogens from rat pancreas, <i>T. Watanabe, N. Ogasawara, H. Goto, Y. Yamada</i>	369
Notes to Authors	372
Author Index	373
Table of Contents	379